

Parts No	NAME
1	T1 Transformer
2	F1 Fuse
3	B11 Electromagnetic Brake
4	G11 Rectifier
5	M11 Hoist Motor
6	M21 Trolley Motor
7	TP~ Motor Thermal Protector
8	LS11 Upper Limit Switch
9	LS12 Lower Limit Switch
10	X~,CN~ Plug/Socket/Connector
11	K~ Contactor
12	CHM Counter/Hour Meter
13	INV~ Inverter
14	I/F BRD~ Interface Board
15	R~ Resistance
16	RY~ Relay
17	CR~ Surge Absorber
18	TB~ Terminal Block
19	NF~ Noise Filter

Abbreviation	
Bk : Black	Gn/Ye : Green/Yellow
Rd : Red	
Wh : White	
Bn : Brown	
Gy : Gray	
Or : Orange	EM : Emergency Stop
Be : Blue	UP : UP
Gn : Green	DN : Down
Ye : Yellow	

Note





1.

Body Size	Chain Hoist (ER)	
	2Gear Deceleration	3Gear Deceleration
B	0011H/0031S	—
C	0041L/0051L Friction Clutch	0041L/0051L Mechanical Friction Clutch
	0031H/0051S	—
D	0101S	0101L
E	0201S/0301S/0321S	0151S/0161S/0201L
F	—	0251S/0501S

2.Operation Type
 Hoist: Dual Speed(Inverter)
 Trolley: Dual Speed(Inverter)

3.Power Supply
 200V class,400V class
 50/60Hz,3Phase

4.Push Button Connection
 Direct Connection



APPROVED	CHECKED	DESIGNED
H.Furiya	K.Koizumi	T.Hatano
09 /04 /17	09 /04 /17	09 /04 /17

Wiring Diagram(CE)

CODE	SCALE
DWG.NO. SK21CDD0BP	—
DATE	

KITO CORP.

UNIT : mm